

ViaVersion - připojení více verzi na server

Stažení

1. Půjdeme na stránku [ZDE](#)
2. Poté si stáhneme plugin.

Nahrání na server


1. Otevřeme si SFTP serveru ([Návod na SFTP](#))
2. Poté **nahrajeme** plugin do složky **plugins**.

..		03.03.2023 15:05:03	rw-r--r--	998
cache		03.03.2023 15:05:05	rw-r--r--	998
libraries		07.03.2023 15:07:19	rw-r--r--	998
logs		05.03.2023 1:07:09	rw-r--r--	998
plugins		03.03.2023 15:05:05	rw-r--r--	998
versions		05.03.2023 16:56:28	rw-r--r--	998
world		05.03.2023 16:56:28	rw-r--r--	998
world_nether		05.03.2023 16:56:28	rw-r--r--	998
world_the_end		05.03.2023 16:56:28	rw-r--r--	998
banned-ips.json	1 KB	07.03.2023 15:07:21	rw-r--r--	998
banned-players.json	1 KB	07.03.2023 15:07:21	rw-r--r--	998
bukkit.yml	1 KB	07.03.2023 15:07:21	rw-r--r--	998
commands.yml	1 KB	07.03.2023 15:07:21	rw-r--r--	998
eula.txt	1 KB	03.03.2023 15:32:29	rw-r--r--	998
help.yml	0 KB	03.03.2023 15:33:25	rw-r--r--	998
ops.json	1 KB	07.03.2023 15:07:21	rw-r--r--	998
paper.yml	11 KB	07.03.2023 15:07:24	rw-r--r--	998
permissions.yml	0 KB	03.03.2023 15:33:26	rw-r--r--	998
server.jar	33 981 KB	03.03.2023 14:53:42	rw-r--r--	998
server.properties	2 KB	07.03.2023 15:07:19	rw-r--r--	998
server-icon.png	2 KB	03.03.2023 16:16:51	rw-r--r--	998
spigot.yml	5 KB	07.03.2023 15:07:24	rw-r--r--	998
usercache.json	1 KB	07.03.2023 15:07:21	rw-r--r--	998

3. Poté dáme **restart** serveru.

Nastavení

1. Najdeme si složku



2. Poté **otevřeme** složku.
3. Poté otevřeme **config.yml**.
4. Tu si nastavíme verze které nechceme aby se připojili. **(DOPORUČUJU ČÍST ZELENÝ TEXT A POCHOPÍTE)**

```
# Should viaversion check for updates?
checkforupdates: true
# Send the supported versions with the Status (Ping) response packet
send-supported-versions: false
# Easier to configure alternative to 'block-protocols'. Uses readable version strings with possible '<' and '>' prefixes.
# An example to block 1.16.4, everything below 1.16, as well as everything above 1.17.1 would be: ["<1.16", "1.16.4", ">1.17.1"]
# You can use both this and 'block-protocols' at the same time as well.
block-versions: []
# Block specific Minecraft protocols: https://wiki.vg/Protocol_version_numbers, or use a generator: https://via.krusic22.com
block-protocols: []
# Change the blocked disconnect message
block-disconnect-msg: You are using an unsupported Minecraft version!
# If you use ProtocolLib, we can't reload without kicking the players.
# (We don't suggest using reload either, use a plugin manager)
# You can customise the message we kick people with if you use ProtocolLib here.
reload-disconnect-msg: Server reload, please rejoin!
# We warn when there's a error converting item and block data over versions, should we suppress these? (Only suggested if spamming)
suppress-conversion-warnings: false
```

Úspěšně se na server můžete připojit s jinou verzí.

Revision #3

Created 7 March 2023 14:57:47 by Denaas

Updated 1 January 2025 22:30:19 by Denaas